
ORAC
CORPORATION



ORAC DECOR



ORAC MYLINE



ORAC AXXENT

THE ART OF DECORATION



This catalogue and the designs embodied within are protected by copyright law and international treaties. Unauthorized reproduction of the catalogue or any portion of it or reproduction of any of the designs embodied therein may result in severe civil and criminal penalties and will be prosecuted to the maximum.
All rights reserved. ©2005, ORAC n.v.
Layout: FABworks.be

W A L L S C A P I N G

s h a p i n g a n d m o d e l l i n g w a l l s

Give structure, shape, colour, depth and energy to a blank wall
with ORAC DECOR and ORAC AXXENT ornaments.

catalogue 2006-2007
ORAC DECOR - ORAC AXXENT



CORNICE MOULDINGS

ORAC DECOR 16
ORAC MYLINE 22
ORAC AXXENT 24




PANEL MOULDINGS

ORAC DECOR 28
ORAC MYLINE 23
ORAC AXXENT 32



PLINTHS

ORAC AXXENT 34



DOOR FRAMES

ORAC DECOR 40-41
ORAC AXXENT 40



PEDIMENTS



CEILING MEDALLIONS



NICHES



DECORATIVE ELEMENTS

mantel pieces 58
wall decoration 59



PILASTERS



ORAC FLEX



PANELLING



BYBLOS



CEILING ORNAMENTS

tiles 48
domes 49



LIGHTING

cornice mouldings 50
fixtures 52
recessed 53



SHELVES AND CORBELS



COLUMNS

full 62
half 64
segmented XL 66



MARKETING TOOLS



INSTALLATION






ORAC MYLINE
YOUR STYLE







ORAC DECOR® COLLECTION

Exclusivity & Creativity

The most complete range of high quality decorating items in Purotouch®.

ORAC MYLINE
A pure, sober collection. Ideally suited for an environment in which austerity rhymes with subtlety. And beauty with functionality.

ORAC AXXENT® COLLECTION

Quality & Atmosphere

A range with an exceptional value for money. Manufactured in Duropolymer®.



C.352 - P.5050 - L.600 - SX.104



C.356 - P.5050 - P.5051



C.355 - P.5050



C.333 - B.418





CX.126 - PX.116 - SX.125

CONTEMPORARY



C.352



C.353 - P.5050






C.353 - P.5051

CONTEMPORARY



C.353 P.5051



DX.119 PX.120 SX.118

COUNTRY STYLE



PX.113 - PX.103 - SX.118



P.8040 - P.8020 - SX.118





C.422 - Byblos - P.9010



H.101 - C.400 - P.9040 - E.20 - G.40/41



P.9040 - P.8040



P.9010 P.9050 SX.105 H.100

COUNTRY STYLE



C.333



L.506 - R.40 - C.240





D.130 - D.1014



C.422 - Byblos - P.9010



K.1122



C.900 - P.4020 - D.401/402 - K.200 ...



2xP.4020 - C.901 - P.7020 -G.40/41



C.218



C.422



C.213 - 3xP.4020 - GB.03 - L.501



C.332

TRADITIONAL CHIC



C.334



C.422



Byblos - K.223 - K.220



C.334 - R.09





C.334 - K.223 - K.220



P.7040 - D.503 - SX.118

TRADITIONAL CHIC



C.900 + P.4020 D.401 + D.402 + K.200 + D.320 P.7030 SX.118 + DX.121



DX.119 L.600 SX.105

ARTISTIC LIVING



P.3020 - R.12 - C.214







CX.123 - PX.120 - PX.103 - SX.105



C.305+C.215 - P.8020 - D.506 ...



CX.108 - SX.118



C.217 P.9010 P.9050 SX.118

ARTISTIC LIVING





DX.119 - PX.120 - SX.118



CX.126




R.09 - CX.126 - P.9010




P.7060 D.210





C.230/C.230F
3
3
= 4,2
C.260/C.260F
5
4
= 6,4
C.305/C.305F
15,5
3,5
4,5
= 15,9
C.305+C.212
C.305+C.213
C.305+C.321
C.211+C.305
C.215/C.215F
4,5
4,5
= 6,4
C.322/C.322F
4
5
= 6,4
C.331/C.331F
13,5
6
= 14,8
C.602/C.602F
5
5,5
= 7,4
C.400/C.400F
10
6
= 11,7
C.200/C.200F
5,5
6,5
= 8,5

CORNICE MOULDINGS

L: 200cm






P.8020, C.305


C.213F


C.215, C.230


C.333, C.200


C.333


C.400

ref+F = available in Flex, see page 36





C.217/C.217F






C.300/C.300F





C.332/C.332F





*C.900/C.900F






*C.901/C.901F

* see indirect lighting, page 50


Exclusivity & Creativity


CORNICE MOULDINGS

L: 200cm




C.217


C.302



C.332


C.211, C.305


P.4020 + C.901 + P.7020


C.307, P.1020


ref+F = available in Flex, see page 36



Exclusivity & Creativity


L: 200cm





C.219/C.219F





C.307/C.307F





C.307/C.307F + C.307/A



C.307/A
7,5 x 9,5 x 4cm






C.308/C.308F


C.304


C.303


C.218


C.422


C.307+C.307/A


C.301

ref+F = available in Flex, see page 36

CORNICE MOULDINGS

L: 200cm


C.356
C.356F





C.355
C.355F





C.353
C.353F






C.354
C.354F






C.351*





C.352*





* see indirect lighting, page 50

PANEL MOULDINGS

L: 200cm



P.5051
P.5051F







P.5050
P.5050F






PLINTHS

L: 200cm


C.353, P.5051


C.355, P.5050


C.355


C.354


C.353


C.354

ref+F = available in Flex, see page 36




Linea Mini CX.132





Linea Mini CX.133





Linea Mini CX.134





Linea Mini CX.111





Linea Mini CX.115





CX.110





CX.109





CX.124





CX.112




ORAC AXXENT


Quality & Atmosphere

CORNICE MOULDINGS


L: 200cm




CX.123



CX.106


CX.109


CX.126


CX.101


CX.123


CX.101
7
7
= 10
CX.135
7
7
= 10
CX.136
7
7
= 10
CX.129
9,5
9,5
= 13,4
CX.128
9,5
9,5
= 13,4
CX.107
12
12
= 17


P.9050 + C.332 + C.333



C.307


C.333


P.4020 + C.901 + P.7020 + P.4020


C.901


C.422


C.211


C.308


C.211


P.4020 + C.900


P.3020 + R.12 + C.214


DX.119 + CX.106 + DX.119



P.9050/P.9050F



P.5021/P.5021F



P.9040/P.9040F



P.7070/P.7070F



P.5020/A
9 x 9 x 1,5cm




P.5020/B
9 x 9 x 1,5cm



P.5020/P.5020F



P.9010/P.9010F



P.9020/P.9020F



P.8040/P.8040F





panel mouldings ORAC Myline, see page 23.

Exclusivity & Creativity

PANEL MOULDINGS


L: 200cm






P.8020, C.305


P.8020


3 x P.4020


P.8020, P.8040


P.8030(D), P.4020, P.20


P.801/C, P.8020

ref+F = available in Flex, see page 36



P.7050/P.7050F



P.3020/P.3020F



P.7060/P.7060F



P.7040/P.7040F



P.7030/P.7030F



P.7010/P.7010F



P.7020/P.7020F



P.7080/P.7080F



Exclusivity & Creativity

with corner elements

L: 200cm



P.5010/A
9 x 9 x 1,5cm

P.5010/P.5010F



P.20
Ø6,5 x 1cm






P.1020/P.1020F



P.101/A
25 x 25 x 2,5cm



P.21
6,5 x 6,5 x 1cm





P.2020/P.2020F




P.201/A
25 x 25 x 2,5cm



P.6020/P.6020F





P.8040, P.21



P.7080, PX.103




P.2020



P.7030




P.7020, 2 x P.4020



P.7060

ref+F = available in Flex, see page 36



PX.116





PX.117





PX.130





PX.131






PX.113





PX.114






PX.102



Quality & Atmosphere

PANEL MOULDINGS

L: 200cm




PX.120


DX.119, CX.106, DX.119


DX.119, PX.120, SX.118




CX.132






CX.133





SX.125






SX.122








SX.105




shockproof and waterproof




SX.137






SX.138





SX.118/SX.118F*





SX.104





CX.132



SX.122, PX.103



SX.118



PX.114, SX.118, DX.119




SX.104



PX.113, SX.122

*SX.118 also available in Flex, see page 36



Flexible mouldings, available in all our existing **ORAC Decor** cornice and panel designs (+ SX.118 **ORAC Axxent**), give another dimension to your interior or exterior. Any curved wall can be beautifully decorated using these ORAC-FLEX products. Please consult our radius applications-sheet or call for technical assistance.
Use ORAC FIX Extra and ORAC DecoFix Pro for perfect installation (see page 68). Installation instructions are available.
Length of moulding: 2 m.

Ref	Rmin (meter)
C.200F	1,5
C.201F	1,4
C.211F	3,2
C.212F	1,4
C.213F	2,3
C.214F	1,1
C.215F	1,7
C.216F	3,4
C.217F	3,4
C.218F	3,7
C.219F	2,9
C.220F	2,9
C.230F	1,1
C.240F	2,3
C.260F	1,5
C.300F	3,4
C.301F	3,0
C.302F	2,1
C.303F	1,8
C.304F	1,7


Ref	Rmin (meter)
C.305F	2,9
C.307F	4,6
C.308F	1,4
C.321F	1,4
C.322F	1,2
C.331F	4,6
C.332F	4,9
C.333F	3,7
C.334F	4,1
C.353F	2,9
C.354F	2,9
C.355F	2,9
C.356F	2,9
C.400F	3,2
C.401F	1,8
C.402F	1,8
C.422F	3,7
C.602F	1,4
C.900F	4,0
C.901F	3,7

Ref	Rmin (meter)	R*min (meter)
P.1020F	0,3	08
P.2020F	0,3	0,8
P.3020F	0,9	1,8
P.4020F	0,9	0,9
P.5010F	0,5	2,7
P.5020F	0,5	2,7
P.5021F	0,3	0,8
P.5050F	0,5	4,6
P.5051F	0,5	4,6
P.6020F	0,5	1,5
P.7010F	0,3	3,0
P.7020F	0,3	2,9
P.7030F	0,3	1,5
P.7040F	0,5	1,8
P.7050F	0,5	1,5
P.7060F	1,5	1,8
P.7070F	0,5	2,7
P.7080F	0,5	/
P.8020F	0,5	1,4
P.8030F	0,3	0,6
P.8040F	0,3	2,9
P.8050F	0,3	2,7
P.8060F	0,3	3,0
P.9010F	0,5	2,6
P.9020F	0,5	2,7
P.9040F	0,5	0,9
P.9050F	0,3	0,8
SX.118F	0,5	/


ORAC AXXENT®




P.8040F


P.4020F


C.213F


P.4020F, P.9010F


C.321F


C.332F



D.500 55 x 75 x 1,5 cm



D.504 55 x 22 x 1,5 cm



D.507 55 x 90,5 x 1,5 cm



F.30 60 x 60 x 4 cm





D.503 55 x 55 x 1,5 cm



D.506 43 x 43 x 1,5cm




F.31 60 x 60 x 6,5 cm






D.505 57 x 12 x 1,5 cm



A x B x C (cm)

Exclusivity & Creativity





Byblos



Byblos


Byblos





Quality & Atmosphere



ORAC DECOR

Exclusivity & Creativity



D.400
127,5/122 x 14,5 x 5,5 cm



D.401
127,5/122 x 14,5 x 5,5 cm



D.400 + D.402
127,5/122 x 14,5 x 5,5 cm







2 x D.401 + D.402
max. 245.5/240 x 14,5 x 5,5 cm






D.402
120/70 x 14,5 x 6 cm
(only for D.400 and D.401)

D.120
124/113 x 25 x 9 cm





(AA)/A x B x C (cm)

ORAC DECOR

Exclusivity & Creativity

D.130
116,5/110,5 x 36 x 6cm



D.140
99 x 32 x 2cm



D.150
100,5 x 15,5 x 1,5cm



D.160
91,5 x 37 x 4cm



D.161
92 x 21,5 x 4cm



D.170
105 x 25 x 3,5cm





D.401, D.402



D.120, D.130



D.130, D.1014



R.35
ø22cm



R.10
ø15cm



R.11
ø19cm



R.12
ø20cm



R.13
ø28,5cm



R.50
ø32cm



R.14
ø33,5cm



R.31
ø38,5cm



R.61
ø40cm



R.16
ø45cm



R.17
ø47cm



R.18
ø49cm



R.46
ø53,5cm



R.22
77 x 52,5cm



R.77
ø62cm

Exclusivity & Creativity



R.74
ø65,5cm



R.28
ø68,5cm



R.52
ø69,5cm



R.73
ø70cm



R.38
ø71cm



R.23
ø71,5cm



R.12



R.18



R.38



R.27
ø75cm



R.75
ø75,5cm



R.24
ø79cm




R.37
ø85cm



R.64
ø95,5cm


Exclusivity & Creativity



R.07
ø26cm
R.08
ø38cm
R.09
ø48,5cm
R.66
ø54,5/43cm
R.76
ø62cm
R.40
ø74,5cm


R.64


R.09


R.40








F.30
60 x 60 x 4 cm



F.31
60 x 60 x 6,5 cm




F.32
60 x 60 x 4 cm




F.33
60 x 30 x 4 cm







F.10





F.11





F.12



F.30




F.12



F.12

L: 200cm



C.900/C.900F

C.901/C.901F



IL.100
set 2 m, 14 sockets incl.




IL.110
15 x lamp, Vacuüm 10 W, 12 V

ref+F = available in Flex, see page 36


Exclusivity & Creativity

ORAC MYLINE
YOUR STYLE





C.351





C.352



C.901



C.352



C.352



IL.550S
55 cm
standard

IL.550D
55 cm
+Dimmer



IL.2230S
223 cm
standard

IL.2230D
223 cm
+Dimmer




L.504
30,5 x 15 x 15cm



L.505
41 x 11,5 x 16,5cm



L.512
30,5 x 12,5 x 15,5cm



L.509
29 x 17 x 14,5cm




L.510
35,5 x 19 x 14cm



L.501
35 x 22 x 16cm



L.506
39 x 15,5 x 19cm



L.508
33 x 21,5 x 14cm



L.511
27 x 26 x 14cm




max.
9W/230V



max.
60W/230V
halogen



max.
60W/230V



Exclusivity & Creativity



L.600
19,5 x 34 x 8,5 cm



L.600
19,5 x 34 x 8,5 cm



L.601
10 x 9 x 10 cm



L.506




L.600



L.601

L.600/A
accessories for 18W/G24-q2.

L.600/B
accessories for R7s, 60W/100W.




L.600/C
for R7s, 60W.

L.601/A
L.601 + accessories for Mycrolynx.

L.601/B
L.601 + accessories for LED P001/002/003
or
for P009 230 V AC.




technical information on **www.oracdecor.com.**
Lightbulbs not supplied by ORAC. Installation instructions are available.




A x B x C (cm)
AA x CC (cm)

B.418
46 x 8 x 12 cm
31 x 4,5 cm



B.417
90,5 x 13,5 x 14 cm
75 x 6 cm



B.415
26 x 32,5 x 13 cm



B.409
30 x 35 x 17,5 cm



B.413
16 x 22,5 x 8,5 cm



B.414
10 x 22 x 7 cm



ORAC DECOR

B.410
19,5 x 50 x 16 cm



B.412
20 x 35 x 20 cm



B.408
22,5 x 40 x 13 cm



B.404
19,5 x 31,5 x 11,5 cm



B.403
19 x 19 x 10 cm




B.402
9 x 22 x 7 cm





B.401
11,5 x 15,5 x 7 cm






B.402


B.403


B.401


B.418


B.410


B.417

















ORAC DECOR

Exclusivity & Creativity



N.301
29 x 52,5 x 8 cm
AA = 14,5 cm



N.302
28 x 55 x 10,5 cm
AA = 17 cm



N.303
68 x 108 x 24 cm
AA = 43 cm




N.503 + N.510



N.503 + N.520



N.503 + N.520



(cm)	A	B	C	AA	BB
N.403	43,0	70,5	10,0	26,5	55,0
N.404	42,0	76,0	11,0	24,5	55,0
N.503	69,0	112,5	11,0	51,5	94,5
N.504	69,0	113,0	11,0	49,5	94,5

(cm)	F	G	H	FF	GG
N.410	31,0	59,5	9,5	28,0	58,5
N.510	55,0	98,5	18,0	53,0	96,0
N.520	55,0	97,5	18,0	53,0	92,0


Place the lightbulb (max. 60W) at min. 10cm. distance from the opaque base.

H.100/A
129,5 x 31 x 20,5cm




H.100/B
20 x 87,5 x 17,5cm

H.100/C
20 x 87,5 x 17,5cm



A x B x C (cm)

H.101/A
129 x 24 x 20cm



H.101/B
15 x 86 x 17cm


H.101/B
15 x 86 x 17cm

H.100



max. 2à3 kW

H.101



max. 2à3 kW

The mantelpieces are **only decorative elements**. They can only be applied with electrical fires (max. 2-3kW).



E.10
52 x 72 x 3,5 cm



E.20
59 x 77,5 x 5 cm



G.40
17 x 14 x 1,5 cm

G.42
40 x 4,5 x 1,5 cm



A x B x C(cm)



G.50
54 x 39 x 3 cm

G.51
73,5 x 9,5 x 3cm




H.101




H.100




E.20, G.50, G.51




K.241
(H: 16,5 cm)



K.221
(H: 22 cm)



K.223
(H: 22,5 cm)




K.224
(H: 17 cm)




K.240
(H: 200 cm)






K.254
(H: 53 cm)



K.220
(H: 200 cm)






K.255
(H: 54 cm)



K.220
(H: 200 cm)

K.255
(H: 54 cm)





K.220
(H: 200 cm)

K.255
(H: 54 cm)


ORAC DECOR

Exclusivity & Creativity



43
9
28
47
36
6,5
27,5
23
6
14
K.251
(H: 35,5 cm)
K.253
(H: 13,5 cm)
K.201
(H: 15 cm)
K.201/L
(H: 15 cm)
K.200
(H: 200 cm)
K.201/R
(H: 15 cm)
K.250
(H: 200 cm)
27
2,5
K.200
(H: 200 cm)
13,5
2
K.200
(H: 200 cm)
30
7
39
K.254
(H: 53 cm)
16
4
20
K.202
(H: 54 cm)
D.320
(H: 25 cm)
13,5
2,5



Exclusivity & Creativity



K.3112
(H: 12,5cm)





K.3142
(H: 16 cm)





K.3002
(H: 201cm)





K.3102
(H: 202cm)






K.2132
(H: 20cm)






K.3152
(H: 57,5cm)





K.3112 KD.7 Hmax =2,335m / Hmin = 2,235m K.3002 K.2132



K.3142 K1.7 Hmax =2,37m / Hmin = 2,28m K.3002 K.2132




K.3112 KD.3 Hmax =2,345m / Hmin = 2,245m K.3102 K.2132



K.3142 K1.3 Hmax =2,38m / Hmin = 2,28m K.3102 K.2132



K.3112 KD.8 Hmax = 2,71m / Hmin = 2,395m K.3002 K.3152



K.3142 K1.8 Hmax = 2,745m / Hmin = 2,44m K.3002 K.3152



K.3112 KD.4 Hmax =2,72m / Hmin = 2,405m K.3102 K.3152




K.3142 K1.4 Hmax = 2,755m / Hmin = 2,44m K.3102 K.3152



Exclusivity & Creativity




K.3111
(H: 12,5cm)





K.3141
(H: 16cm)





K.3001
(H: 201cm)






K.3101
(H: 202cm)






K.2131
(H: 20cm)





K.3151
(H: 57,5cm)





K.2131 K.3001 KD.7H Hmax =2,335m / Hmin = 2,235m K.3111



K.2131 K.3001 K1.7H Hmax =2,37m / Hmin = 2,28m K.3141



K.2131 K.3101 KD.3H Hmax =2,345m / Hmin = 2,245m K.3111



K.2131 K.3101 K1.3H Hmax =2,38m / Hmin = 2,28m K.3141



K.3151 K.3001 KD.8H Hmax = 2,7m / Hmin = 2,395m K.3111



K.3151 K.3001 K1.8H Hmax = 2,745m / Hmin = 2,44m K.3141




K.3151 K.3101 KD.4H Hmax =2,72m / Hmin = 2,405m K.3111



K.3151 K.3101 K1.4H Hmax = 2,755m / Hmin = 2,44m K.3141

ORACDECOR COLLECTION




ORAC DECOR


Exclusivity & Creativity



A.61



A.11



A.63



A.40



ZX.18



A.50




A.74



A.45

accessories



FB.13



FB.14



DECOFIX Pro




FB.300



FDP.100



ORACFIX Extra



FB.10 Variomatic



A.24



DECOFIX Hydro

DECOFIX PRO
Installation adhesive and joint filling product


A slow-drying glue that ensures a long lasting seal between the mouldings and the wall and/or the mouldings and the ceiling (for both Decor and Axxent ranges). The adhesive can also be used as a filling product and can be removed with water. It can also be painted after hardening (24 hours).


ORAC FIX EXTRA
Joint adhesive

A glue for seam joints between the mouldings (for both Decor and Axxent ranges). Any excess ORAC Fix Extra can be removed preferably after hardening (count at least two hours). The adhesive can be painted after 24 hours.

DECOFIX HYDRO
Installation adhesive and joint filling product for exterior applications

Use DECOFix Hydro for exterior applications and in damp environments instead of DECOFix Pro.







ORAC ornaments are unbreakable, light and easy to install. They are processed in the same way as light wood and finished with a quality primer.
You will find all the technical information on our website. Guarantee Terms and Conditions apply provided instructions have been followed to the letter.
Check the measurements of the ornaments on the premises before you start installing them, there may be some discrepancies or changes in sizes against those stated in the catalogue.

FIRE RETARDANT STANDARDS
In many interiors and projects strict fire regulations are imposed. Therefore, ORAC has elaborated a number of solutions depending on the country and its regulations. Please contact our engineering department for more detailed requests.

You will find further product information and safety regulations in our Product Info Brochure and on **www.oracdecor.com**.

Interior installation of rigid cornice mouldings.




1



2




3




4



5



6



7



8

* for exterior applications and in damp environments.



9


ORACFix Extra
10


11


12


13


DECOFix Pro
DECOFix Hydro*
14


15


24 hrs.
16


17




Headquarter
n.v. ORAC s.a.
Oudenburgsesteenweg 90
B-8400 Oostende
Tel: +32 (0)59-80 32 52
Fax: +32 (0)59-80 28 10
oracinfo@oracdecor.com

ORAC Nederland
Tel: 0800-022 2125
Fax: 0800-022 2138
nederland@oracdecor.com

ORAC Deutschland GmbH
Am Teichgraben 2
D-49163 Bohmte
Tel: +49 (0)5471-951 30
Fax: +49 (0)5471-44 25
info@orac-decor.de

ORAC (UK) Ltd.
Elmbridge Road Unit 5
Hewitts Estate
Cranleigh, Surrey
GU 68 LW
United Kingdom
Tel: +44 (0)1483-271 211
Fax: +44 (0)1483-278 317
orac.uk@oracdecor.com


CONTEMPORARY


COUNTRY STYLE


TRADITIONAL CHIC


ARTISTIC LIVING

A.12
04/2006 - EN

T H E O R I G I N A L